EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	(third) with (UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand$held) adj (apparatus or phone or telephone or device or unit or terminal or station or hand$set))) with (record$3 or stor$) with (schedul$3 or reservat$4 or time slot) with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:11
L3	2	(third or another) with (UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand$held) adj (apparatus or phone or telephone or device or unit or terminal or station or hand$set))) with (record$3 or stor$) with (schedul$3 or reservat$4 or time slot) with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:12
L4	2	3 and (@rlad< "20040531" or @ad< "20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:13
L5	64	(UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand$held) adj (apparatus or phone or telephone or device or unit or terminal or station or hand$set))) with (record$3 or stor$) with (schedul$3 or reservat$4 or time slot) with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:14
L6	33	5 and (@rlad< "20040531" or @ad< "20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:15

L7	82	(record$3 or stor$3) with (time near2 reservat$4) with (identifier or mac or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:23
L8	58	7 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:23
L9	3410	(record$3 or stor$3) with transmission with time with (identifier or mac or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:28
L10	9	(record$3 or stor$3) with transmission with time with (identifier or mac or address) with collision	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:28
L11	4	10 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:28
L19	1927	(370/458,445).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/12/03 12:32
L20	744	19 and ((stor$3 or record$3 or writ$4) with (schedul$3 or reservat$3 or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:34
L21	197	19 and ((stor$3 or record$3 or writ$4) with (schedul$3 or reservat$3 or time)) with (source or destination or identif$3 or mac or address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:34
L22	20	19 and ((stor$3 or record$3 or writ$4) with (schedul$3 or reservat$3 or time)) with (source or destination or identif$3 or mac or address) with (table or database or file)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:35
L23	14	22 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 12:35

L24	5	((schedul$3 or reservation) near2 (table or file or database)) with includ$3 with ((destination or origination or source or target) adj5 (address or identif$5 or id)) with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 13:06
L25	3	24 and (@rlad< "20040531" or @ad< "20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 13:07
L26	78	((schedul$3 or reservation) with (table or file or database)) with includ$3 with ((destination or origination or source or target) with (address or identif$5 or id)) with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 13:07
L28	57	26 and (@rlad< "20040531" or @ad< "20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 13:08
L29	127	(defin$3 or determin$3 or decid$3) with ((communication or transmission) near2 (time slot)) with (schedul$3 or reservation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 15:06
L30	75	29 and (@rlad< "20040531" or @ad< "20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 15:06
S1	1	11/364323	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 15:02
S2	2	"11364323"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 15:02
S3	1	10/573506	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:41

S4	2	("20020159426").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:41
S5	42	((HIROSHI) near2 (DOI)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/02 09:42
S6	176	((YOSHINORI) near2 (WATANABE)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/02 09:42
S7	71	((MASAHIRO) near2 (MIMURA)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/02 09:42
S8	896	(370/311).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/02 09:44
S10	232	(455/127.5).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/02 09:44
S11	278	S5 or S6 or S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:46
S12	1	S11 and (first with channel with communication with lower with power).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:47
S13	51	(first with channel with communication with lower with power).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:47
S15	1	S10 and (first with channel with communication with lower with power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 09:48
S17	35	S13 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 10:45
S23	896	S8 or S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:04

S27	4	((((wide near2 band)or uwd or broad$band) same (narrow near2 band) same (sleep$3 or standby or idle or (power near2 sav$3)) same ((control or paging or traffic or data) near3 channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:09
S28	3	S27 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:10
S30	3	(("5079666") or ("5059961") or ("4553166")).PN.	US-PGPUB; USPAT	OR	OFF	2009/06/02 14:25
S32	2	(uwb or ultra$band or utlra$wide$band) same narrow$band same (control near2 channel) same (inactive or sleep$3 or standby or idle or (power near2 sav$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:54
S34	53	(uwb or ultra$band or utlra$wide$band) and narrow$band and (control near2 channel) and (inactive or sleep$3 or standby or idle or (power near2 sav$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:56
S36	22	S34 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 14:56
S37	792	(uwb or ultra$band or utlra$wide$band or broadband or high$pass) same (narrow$band or low$pass) same ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:25
S38	331	(uwb or ultra$band or utlra$wide$band or broadband) same (narrow$band) same ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:26
S39	121	(uwb or ultra$band or utlra$wide$band or broadband) with (narrow$band) with ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:27

S40	91	S39 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:27
S41	6	((uwb or ultra$band or utlra$wide$band) near4 (data or traffic or payload) near2 channel)) same ((narrow$band or (narrow near2 band) near2 (control$4 or signal$4 or pag$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:46
S42	3	S41 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 15:47
S43	5	(uwb or ultra$band or utlra$wide$band) with (narrow$band) with ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:33
S44	5	(uwb or ultra$band or ultra$wide$band) with (narrow$band) with ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:33
S45	1	S44 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:33
S46	12761	(uwb or ultra$band or ultra$wide$band)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:36
S47	93496	(narrow$band or (narrow near2 band))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:37
S48	1680	(narrow$band or (narrow near2 band)) with ((control$4 or signal$3 or pag$3 or command) near2 (channel or link))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:39
S49	284	(uwb or ultra$band or ultra$wide$band) near2 (data or traffic or payload or communication) near2 (channel or link)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:41

S50	1	S48 same S49	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:42
S52	451	(uwb or ultra$band or ultra$wide$band or high$pass) same (narrow$band or low$pass) same ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:44
S53	128	(uwb or ultra$band or ultra$wide$band or high$pass) with (narrow$band or low$pass) with ((pag$3 or control or signal$4 or data or traffic) near2 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:45
S55	98	S53 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:45
S56	19	(narrow$band or narrow near2 band) with modulat$4 with rate with (threshold or predetermined or precribed or (set near2 number))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:58
S57	16	S56 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 16:58
S58	24	(narrow$band or narrow near2 band) same modulat$4 same demodulat$4 same rate same (threshold or predetermined or prescribed or (set near2 number))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 17:06
S59	22	S58 and (@rlad<"20040531" or @ad<"20040531")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/02 17:06
S60	2	(("6778586") or ("7103371")).PN.	US-PGPUB; USPAT	OR	OFF	2009/06/03 11:13
S61	0	(11/315,743).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/03 17:25
S62	1	11/315,743	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/03 17:25

S63	2	("20040141481").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/03 17:26
S64	3	US-20050063345-A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/03 17:27
S65	1	11/404,326	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/03 17:54
S66	6	("20030214928" | "20040120292" | "20070121567").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/03 17:54

EAST Search History (Interference)

< This search history is empty>

12/3/2009 6:28:09 PM
C:\Documents and Settings\mbatista\My Documents\EAST\Workspaces\10573506 RADIO COMMUNICATION METHOD AND RADIO COMMUNICATION DEVICE.wsp